

Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: 16.08.2023

Version Number: 5.0 (replaces version 1.0)

Revision Date: 16 08 2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Trade name: HA Cut CFL AF

UFI: 1770-N0HD-900Q-DCSA

1.2 Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Waterproofing.

Identified uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet:

Manufacturer/supplier:

De Neef Construction Chemicals BVBA Industriepark 8, 2220 Heist-op-den-Berg, Belgium.

Tel: +32 15 24 93 60 Fax: +32 15 24 80 72

www.gcpat.com

Further information obtainable from: msds.gcp@gcpat.com

1.4 Emergency telephone number:

For Chemical Emergency: (Spill, Leak, Fire, Exposure or Accident) - Call CHEMTREC (Day/Night) on:

Within USA & Canada : 800-424-9300, Outside USA & Canada : +1 703-741-5970

National emergency telephone number: CHEMTREC UK +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2	H315 Causes skin irritation.
Eye Irrit. 2	H319 Causes serious eye irritation.
Resp. Sens. 1	H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
Skin Sens. 1	H317 May cause an allergic skin reaction.
Carc. 2	H351 Suspected of causing cancer.
Repr. 2	H361 Suspected of damaging fertility or the unborn child.
STOT SE 3	H335 May cause respiratory irritation.
STOT RE 2	H373 May cause damage to organs through prolonged or repeated exposure.
Aquatic Chronic 3	H412 Harmful to aquatic life with long lasting effects.

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2) GB

Page 1/10

Version Number: 5.0 (replaces version 1.0)

Trade name: HA Cut CFL AF

Hazard pictograms



Signal word Danger

Hazard-determining components of labelling:

Diphenylmethanediisocyanate, isomers and homologues 1-isopropyl-2,2-dimethyltrimethylene diisobutyrate Methylenediphenyl diisocyanate, mixture of isomers

Hazard statements

H315 Causes skin irritation.

- H319 Causes serious eye irritation.
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
- H317 May cause an allergic skin reaction.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H335 May cause respiratory irritation.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
	to do. Continue rinsing.

Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction. As from 24 August 2023 adequate training is required before industrial or professional use.

2.3 Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Mixture of substances listed below with non-hazardous additions.

For further information, please refer to the product technical data sheet.

Dangerous components:

CAS: 0016 87.0		20 <500/
	Diphenylmethanediisocyanate, isomers and homologues	30-<50%
EC number: 618-498-9	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	
Index number: 615-005-00-9	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,	
	H317; STOT SE 3, H335	
	EUH204	
	Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ %	
	Eye Irrit. 2; H319: C ≥ 5 %	
	Resp. Sens. 1; H334: C ≥ 0.1 %	
	STOT SE 3; H335: C ≥ 5 %	
		(Contd. on page 3)

(Contd. of page 1)



Trade name: *HA Cut CFL AF*

		(Contd. of page 2)
CAS: 6846-50-0	1-isopropyl-2,2-dimethyltrimethylene diisobutyrate	30-<50%
EINECS: 229-934-9	Repr. 2, H361	
Reg.nr.: 01-2119451093-47-XXXX	Aquatic Chronic 3, H412	
CAS: 39420-98-9	Modified MDI	5-<10%
EC number: 643-036-8		5-<1070
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	
Index number: 615-005-00-9	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,	
	H317; STOT SE 3, H335	
	EUH204	
	Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5$ %	
	Eye Irrit. 2; H319: C ≥ 5 %	
	Resp. Sens. 1; H334: C ≥ 0.1 %	
	STOT SE 3; $C \ge 5\%$	
CAS: 26447-40-5	Methylenediphenyl diisocyanate, mixture of isomers	5-<10%
EINECS: 247-714-0		5-<1070
	Resp. Sens. 1, H334; Carc. 2, H351; STOT RE 2, H373	
Index number: 615-005-00-9	Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1,	
Reg.nr.: 01-2120770510-62-XXXX		
	EUH204	
	Specific concentration limits: Skin Irrit. 2; H315: $C \ge 5 \%$	
	Eye Irrit. 2; H319: C ≥ 5 %	
	Resp. Sens. 1; H334: $C \ge 0.1 \%$	
	STOT SE 3; H335: C ≥ 5 %	

SECTION 4: First aid measures

4.1 Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Call for a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed:

May cause sensitisation by skin contact.

Irritating to eyes.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray.

5.2 Special hazards arising from the substance or mixture:

During heating or in case of fire poisonous gases are produced.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

(Contd. on page 4)

Trade name: HA Cut CFL AF

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original packaging.

Use only outdoors or in a well-ventilated area.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities:

STORAGE Reacts with water.

Information about storage in one common storage facility: Keep respiratory protective device available.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Cont	8.1 Control parameters:			
Ingredien	Ingredients with limit values that require monitoring at the workplace:			
9016-87-9	Diphenylmethanediisocya	anate, isomers and homologues		
	rt-term value: 0.07 mg/m ³			
	g-term value: 0.02 mg/m ³			
Sen	; as -NCO			
39420-98-	9 Modified MDI			
	rt-term value: 0.07 mg/m ³			
	g-term value: 0.02 mg/m ³			
Sen	; as -NCO			
DNELs				
9016-87-9	9016-87-9 Diphenylmethanediisocyanate, isomers and homologues			
Dermal	Dermal DNEL acute local eff 28.7 mg/cm2 (human)			
Inhalative	DNEL acute local eff	0.1 mg/m^3 (human)		
	DNEL long term local eff 0.05 mg/m ³ (human)			
	(Contd. on page 5)			

Revision Date: 16.08.2023

Trade name: HA Cut CFL AF

		(Contd. of page	4)
1	DNEL short term syst.	0.1 mg/m3 (human)	
!	DNEL long term syst.	0.05 mg/m3 (human)	
26447-40-	5 Methylenediphenyl diis	ocyanate, mixture of isomers	
Dermal	DNEL acute local eff	28.7 mg/cm2 (human)	
Inhalative	DNEL acute local eff	0.1 mg/m^3 (human)	
!	DNEL long term local eff	0.05 mg/m^3 (human)	
!	DNEL short term syst.	0.1 mg/m3 (human)	
	DNEL long term syst.	0.05 mg/m3 (human)	
Ingredien	Ingredients with biological limit values:		
39420-98-	39420-98-9 Modified MDI		
	µmol creatinine/mol		
Medium: urine			

Sampling time: At the end of the period od exposure Parameter: isocyanate-derived diamine

Additional information: Based on the lists valid at the date of SDS creation.

8.2 Exposure controls:

Appropriate engineering controls No further data; see item 7.

Appropriate engineering controls Local exhaust ventilation is recommended.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Respiratory protection:

Atmospheric levels should be maintained below the occupational exposure limits. When atmospheric levels exceed those limits or are unknown, respiratory protection is required.

For hand applications, unless monitoring data confirms that respiratory protection is not necessary, use an approved half-face air purifying respirator equipped with an organic vapor sorbent filter (EU Type A, NIOSH Black, etc.) and particulate pre-filter (EU Type P2, NIOSH N95, etc.).

Isocyanates (contained in this part and when mixed) are known as respiratory sensitisers.

For emergency response, an approved positive pressure Self Contained Breathing Apparatus (SCBA) or positive pressure air line with auxiliary self-contained air supply is recommended.

EN 143.

Hand protection

Protective gloves.

EN 374.

Material of gloves: Rubber gloves.

Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Protective goggles.

Body protection: Protective work clothing. Take off contaminated clothing.

(Contd. on page 6)

Trade name: HA Cut CFL AF

(Contd. of page 5)

SECTION 9: Physical and chemical properties				
9.1 Information on basic physical and chemica GENERAL INFORMATION	9.1 Information on basic physical and chemical properties:			
Physical state	Liquid.			
Colour:	Red.			
Odour:	Characteristic.			
Odour threshold:	Not determined.			
Melting point/freezing point:	Undetermined.			
Boiling point or initial boiling point and boiling range	>100 °C			
Flammability	Not applicable.			
Flammability Limits :				
Lower and upper explosion limit				
Lower:	Not determined.			
Upper:	Not determined.			
Flash point: Mathada	>100 °C			
Method: Ignition temperature:	400 °C			
Decomposition temperature:	Not determined.			
pH	Not determined.			
VISCOSITY	Not determined.			
Kinematic viscosity	Not determined.			
Dynamic:	Not determined.			
Solubility				
Water:	Not miscible or difficult to mix.			
Partition coefficient n-octanol/water (log value)	Not determined.			
Vapour pressure:	Not determined.			
Density and/or relative density				
Density:	Not determined.			
Vapour density:	Not determined.			
Particle characteristics	Not applicable.			
9.2 Other information:				
Appearance:				
Form:	Liquid.			
Important information on protection of health and				
environment, and on safety:				
Auto-ignition temperature:	Not determined.			
Explosive properties: SOLVENT CONTENT	Product does not present an explosion hazard.			
VOC (EC):	0.00 %			
Change in conditions:-	0.00 /0			
Evaporation rate:	Not determined.			
Molecular weight	Not determined.			
Information with regard to physical hazard classes				
Explosives	Not applicable.			
Flammable gases	Not classified.			
Aerosols	Not classified.			
Oxidising gases	Not classified.			
Gases under pressure	Not classified.			
Flammable liquids	Not classified.			
Flammable solids	Not classified.			
Self-reactive substances and mixtures	Not classified.			
Pyrophoric liquids	Not classified.			
Pyrophoric solids	Not classified.			
Self-heating substances and mixtures	Not classified.			
Substances and mixtures, which emit flammable gases in contact with water	n Not classified.			
Oxidising liquids	Not classified.			
Oxidising inquites Oxidising solids	Not classified.			
Organic peroxides	Not classified.			
Corrosive to metals	Not classified.			
Desensitised explosives	Not classified.			
r				

Revision Date: 16.08.2023

Printing Date: 16.08.2023

Trade name: HA Cut CFL AF

(Contd. of page 6)

SECTION 10: Stability and reactivity

10.1 Reactivity:

Stable under normal conditions. No further relevant information available.

10.2 Chemical stability:

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions Reacts with water.

10.4 Conditions to avoid: No further relevant information available.

10.5 Incompatible materials:

Water.

Alcohol.

Amines, alkalines

Acids.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

ACUTE TOXICITY Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

9016-87-9	Diphenyl	methanediisocyanate,	isomers and	homologues

Oral	LD50	10,000 mg/kg (rat)
	LD50	9,000 mg/kg (rat)
Inhalative	LC50, 4h	11 mg/l (rat)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Causes serious eye irritation.

Inhalation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Ingestion: May cause damage to organs through prolonged or repeated exposure.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Suspected of causing cancer.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

Additional toxicological information: Suspected of damaging fertility or the unborn child. Suspected of causing cancer.

GHS Health Hazards : Carcinogenicity: Category 2 - Suspected of causing cancer. 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

(Contd. on page 8)

Trade name: HA Cut CFL AF

Revision Date: 16.08.2023

(Contd. of page 7)

SECTION 12: Ecological information

12.1 Toxicity:

AQUATIC TOXICITY No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

12.5 Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects:

ADDITIONAL ECOLOGICAL INFORMATION

General notes:

Harmful to aquatic organisms.

Harmful to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

	European waste catalogue:	
	08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INK	
\vdash		
		wastes not otherwise specified in 08
	08 05 01*	waste isocyanates

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
14.1 UN number or ID number ADR, IMDG, IATA	Not Regulated	
14.2 UN proper shipping name ADR, IMDG, IATA	Not Regulated	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Not Regulated	
14.4 Packing group ADR, IMDG, IATA	Not Regulated	
14.5 Environmental hazards:	Not applicable.	
		(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Version Number: 5.0 (replaces version 1.0)

Trade name: HA Cut CFL AF

14.6 Special precautions for user:

Not applicable.

14.7 Maritime transport in bulk according to

Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

See Section 2 for hazard identification.

Directive 2012/18/EU

IMO instruments

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 56

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

- Causes skin irritation. H315
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334
- H335 May cause respiratory irritation.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.
- EUH204 Contains isocyanates. May produce an allergic reaction.

Department issuing SDS:

Product Stewardship Department GCP Applied Technologies (UK) Limited 487/488 Ipswich Road, Slough, Berkshire SL1 4EP

Tel: +44 (0)1753 490 000 Date of previous version: 16.08.2023

(Contd. on page 10) GB

(Contd. of page 8)

Revision Date: 16.08.2023

Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: 16.08.2023

Version Number: 5.0 (replaces version 1.0)

Trade name: HA Cut CFL AF

Version number of previous version: 1.0

The first date of preparation: 16.08.2023

Number of revision times and the latest revision date: $5.0\,/\,16.08.2023$

Revision Date: 16.08.2023

(Contd. of page 9)